

	Type	Hits	Search Text	DBs	Time Stamp
1	IS&R	1749	(257/328-334).CCLS.	USPAT	2006/03/30 11:57
2	IS&R	1276	(257/328-334).CCLS.	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 11:58
3	IS&R	1513	(438/212,268,270,271,588-589).CCLS.	USPAT	2006/03/30 12:02
4	IS&R	1811	(438/212,268,270,271,588-589).CCLS.	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 12:03
5	IS&R	1	("5747851").PN.	USPAT	2006/03/30 12:39
6	BRS	6345	("(100)" near2 plane)	USPAT	2006/03/30 14:50
7	BRS	108	S27 and ((wall side) near2 trench)	USPAT	2006/03/30 14:51
8	IS&R	1749	(257/328-334).CCLS.	USPAT	2006/03/30 14:53
9	BRS	57	S29 and S27	USPAT	2006/03/30 14:53
10	IS&R	1276	(257/328-334).CCLS.	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 14:54
11	BRS	7017	("(100)" near2 plane)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 14:55
12	BRS	20	S31 and S32	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 14:55

	Type	Hits	Search Text	DBs	Time Stamp
13	IS&R	1513	(438/212,268,270,271,588-589).CCLS.	USPAT	2006/03/30 14:56
14	BRS	45	S34 and S27	USPAT	2006/03/30 14:56
15	IS&R	1811	(438/212,268,270,271,588-589).CCLS.	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 14:56
16	BRS	12	S36 and S32	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/03/30 14:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	16	((trench recess groove) and (channel) and (gate near2 (dielectric oxide dioxide insulation insulating insulated)) and (gate) and (side) and (plane orientation axis axes) and (contact)).clm.	US-PGPUB	2006/04/02 09:39